

PUBLIC SERVICE COMMISSION OF THE DISTRICT OF COLUMBIA
1333 H STREET, N.W., SUITE 200, WEST TOWER
WASHINGTON, D.C. 20005

NOTICE OF PROPOSED RULEMAKING

**TELEPHONE TARIFF 07-4, IN THE MATTER OF THE APPLICATION OF
VERIZON WASHINGTON DC, INC FOR AUTHORITY TO AMEND THE
GENERAL SERVICES TARIFF P.S.C.-D.C.-NO. 203**

1. The Public Service Commission of the District of Columbia ("Commission") hereby gives notice, pursuant to D.C. Official Code Section 2-505,¹ of its intent to act upon the Application of Verizon Washington, DC Inc. ("Verizon DC")² in the above-captioned matter in not less than thirty (30) days from the date of publication of this Notice of Proposed Rulemaking ("NOPR") in the *D.C. Register*.

2. On December 14, 2007, Verizon DC filed an application requesting authority to amend the following tariff pages:

GENERAL SERVICES TARIFF, P.S.C.-D.C.-NO. 203

Section 21, 2nd Revised Page 7

Original Page 7a

2nd Revised Page 8

Original Page 8a

2nd Revised Page 10

3. In its application, Verizon DC proposes to revise the terms and conditions associated with the *69 (Call Return) Centrex Custom Calling System service in its Tariff P.S.C.-D.C.-No. 203. Specifically, Verizon DC's proposed amendments identify situations where system limitations may disallow certain call announcement functions.³ Verizon DC asserts that the proposed revisions are filed pursuant to § 3(a) of the Price Cap Plan 2004.⁴

4. The complete text of the General Services Tariff is on file with the Commission. Copies of the proposed tariff pages may be reviewed at the Office of the

¹ D.C. Official Code, § 2-505 (2001 Ed.).

² *TT07-4, In the Matter of the Application of Verizon Washington, DC Inc. For Authority to Amend the Local Exchange Services Tariff, P.S.C.-D.C. - No. 203 ("TT07-4")*, Letter from J. Henry Ambrose of Verizon Washington, D.C. Inc. to Dorothy Wideman, Commission Secretary, filed December 14, 2007 and withdrew the original filing received December 4, 2007, which contained an error in the cover page of the Application.

³ See Verizon DC's Application at 1.

⁴ See *Formal Case No. 1005, In the Matter of Verizon Washington, DC, Inc.'s Price Cap Plan 2004 for the Provision of Local Telecommunications Services in the District of Columbia*, Order No. 13370, rel. September 9, 2004, ("Price Cap Plan" or "Plan").

Commission Secretary, 1333 H Street, N.W., 2nd Floor, West Tower, Washington, D.C. 20005, between the hours of 9:00 a.m. and 5:30 p.m., Monday through Friday. Copies of the tariff pages are available upon request, at a per-page reproduction cost.

5. Comments on the proposed tariff revisions must be made in writing to Dorothy M. Wideman, Commission Secretary, at the above address. All comments must be received within thirty (30) days of the date of publication of this NOPR in the *D.C. Register*. Persons wishing to file reply comments may do so no later than forty-five (45) days from the date of publication of this NOPR in the *D.C. Register*. Once the comment period has expired, the Commission will take final rulemaking action on Verizon DC's application.

PUBLIC SERVICE COMMISSION OF THE DISTRICT OF COLUMBIA
1333 H STREET, N.W., SUITE 200, WEST TOWER
WASHINGTON, DC 20005

NOTICE OF PROPOSED RULEMAKING

**FORMAL CASE NO. 977, IN THE MATTER OF THE INVESTIGATION
INTO THE QUALITY OF SERVICE OF WASHINGTON GAS LIGHT
COMPANY, DISTRICT OF COLUMBIA DIVISION, IN THE DISTRICT
OF COLUMBIA**

The Public Service Commission of the District of Columbia ("Commission") hereby gives notice, pursuant to Section 2-505 of the District of Columbia Code,¹ of its intent to adopt Chapter 37, of Title 15 of the District of Columbia Municipal Regulations ("DCMR"), commonly referred to as the Natural Gas Quality of Service Standards ("NGQSS"). The proposed NGQSS sets forth standards to establish requirements for ensuring that natural gas utilities operating in the District of Columbia meet an adequate level of quality, reliability, and safety in the natural gas service provided to District of Columbia residents. The Commission gives notice of its intent to take final rulemaking action in not less than thirty (30) days after publication of this second Notice of Proposed Rulemaking ("NOPR") in the *D.C. Register*.

**CHAPTER 37 NATURAL GAS QUALITY OF SERVICE
STANDARDS**

Secs.	
3700	Purpose and Applicability
3701	Reporting Requirements for Service Outages and Gas Incidents
3702	Reporting and Repairing Requirements for Gas Leaks and Odor Complaints
3703	Reporting and Responding Requirements for Gas Emergencies
3704	Customer Service Standards, Customer Surveys, Service Provisioning
3705	Reliability Standards, Low Pressure water infiltration, Underground Damage prevention, Lost Time Accidents OSHA 300 log
3706	Billing Error Notification
3707	Waiver
3799	Definitions

¹ D. C. Official Code § 2-505.

3700 PURPOSE AND APPLICABILITY

3700.1 The purpose of this chapter is to establish standards and requirements for ensuring that a natural gas utility operating in the District of Columbia meet an adequate level of quality, reliability, and safety in the natural gas service provided to District of Columbia customers.

3700.2 This chapter shall apply to all natural gas utilities and its representatives operating in the District of Columbia, subject to the authority of the Public Service Commission of the District of Columbia ("Commission").

3700.3 All written Natural Gas Quality of Service Standards ("NGQSS") quarterly and annual reports, studies, surveys, or filings required to be submitted to the Commission shall be docketed under Formal Case No. 977 ("F.C. 977").

3701 REPORTING REQUIREMENTS FOR SERVICE OUTAGES AND GAS INCIDENTS

3701.1 The natural gas utility shall report to the Commission and the Office of the People's Counsel (OPC) of the District of Columbia all major and non-major natural gas service outages, as well as incidents that result in the loss of human life, personal injury requiring hospitalization, property damage of over \$5,000, or service disruption directly or indirectly arising from or connected with the gas utility's maintenance or operation, that occur on the natural gas system within the District of Columbia. Additionally, the natural gas utility must include in its operating, maintenance procedures, and emergency plan that it will utilize industry standard testing procedures, such as conducting metallurgical or laboratory analysis of failed components, to identify the root causes of natural gas service outages and to minimize the possibility of recurrence.

3701.2 The natural gas utility shall report major service outages by telephone and e-mail to the Commission's Office of Engineering (OE) and the OPC, at the earliest practicable time, but not later than one (1) hour after the utility's dispatch has been informed of a major service outage. This reporting requirement applies to business and non-business hours.

3701.3 Each telephone and e-mail report rendered by the natural gas utility subsequent to a major service outage shall state clearly, at a minimum, the following information:

- (a) The location(s) of the service outage(s), including street addresses;

- (b) The ward(s) and/or quadrant(s) where the service outage(s) occurred;
- (c) The estimated number of customers out of service;
- (d) A preliminary assessment as to the cause(s) of the service outage(s); and
- (e) The estimated repair and/or restoration time.

3701.4 During the course of each major service outage, the utility shall report periodically to OE regarding the status of the service outage and the utility's progress in restoration efforts. The frequency of such periodic updates to OE shall be jointly determined by the utility and OE at the start of the service outage and/or as modified during the course of the service outage. The utility shall provide an update to OE and OPC prior to making any changes to its estimated restoration time.

3701.5 Specific restoration information, including estimated restoration times, shall be provided to the District of Columbia customers by the utility's customer service representatives and by the utility's automated voice response unit.

3701.6 The natural gas utility shall file a written report concerning all major service outages with the Office of the Commission Secretary (OCMS) and to OPC within three (3) weeks following the end of a major service outage.

3701.7 Each written report concerning a major service outage shall state clearly, at a minimum, the following information:

- (a) The dates and times when the major service outage began and ended;
- (b) The time the natural gas utility received the first call regarding the outage(s) or became aware of the outage(s);
- (c) The dates and times when the restoration effort began and ended;
- (d) The date and time when the maximum number of customers were experiencing a sustained interruption and the total number of customers affected at that time (both on a system-wide basis and for the District of Columbia only);
- (e) The total number of customers that experienced a sustained interruption given in one hour intervals throughout the major

service outage (both on a system-wide basis and for the District of Columbia only);

- (f) The total number of customer interruption durations (converted into hours) during the major service outage (both on a system-wide basis and for the District of Columbia only);
- (g) Any information concerning requests made for outside assistance, including the organization(s) to which such requests were made, the date and time of the requests, and the resources requested;
- (h) Any information concerning outside assistance received, including the organization(s) that provided personnel, the date(s) and time(s) of personnel arrivals and departures, all crew personnel certified with operator qualification status by type of work that can be assigned and performed, the number of and types of vehicles provided, the total number of personnel received, the total number of personnel assigned to transmission lines restoration service crews, the total number of personnel assigned to distribution system restoration crews, the total number of personnel assigned to rights of way clearing crews, the total number of personnel assigned to pressure regulation and measurement crews, the total number of personnel assigned to drip pumping crews, and the total number of personnel assigned to service utilization crews;
- (i) Any information concerning the utility's own personnel and resources used in restoration efforts, including the total number and types of vehicles used, the total number of utility personnel involved in the restoration effort, the number of personnel assigned to transmission lines restoration service crews, the total number of personnel assigned to distribution system restoration crews, the total number of personnel assigned to damage assessment crews, the total number of personnel assigned to rights of way clearing crews, the total number of personnel assigned to pressure regulation and measurement crews, the total number of personnel assigned to drip pumping crews, and the total number of personnel assigned to service utilization crews;
- (j) Any information concerning customer communications, including the hourly call volumes (specifically identifying the total number of customer calls received and the total number of calls answered by the utility during each hour of the service outage), the hourly staffing numbers (specifically identifying the total number of customer service representatives logged into the call center and supporting phone systems actively taking or waiting to take customer calls), and the telephone service factor provided on an

hourly basis during the entire duration of the service outage (specifically identifying the percentage of answered calls that were answered within a 60-second timeframe);

- (k) The total number of customers interrupted and the customer interruption durations (converted into hours) caused by each of the following: water in the main, poor pressure, over and under pressure conditions, frozen meters, pressure regulator malfunctions, lightning damage, ice or snow near pressure regulator vents, and any other major causes (both on a system-wide basis and for the District of Columbia only);
- (l) The total number of each of the following occurring as part of the emergency restoration efforts: the footage of main replaced, number of regulators and meters replaced, the number of transmission and distribution regulator station equipment replaced, relief valve replacements, service piping replacements, the number of mechanical couplings replaced, additional excess flow valves installed on services and other appurtenances or issued for replacement (both on a system-wide basis and for the District of Columbia only);
- (m) Any issues concerning the availability of materials that affected restoration progress and a description of the emergency measures taken to resolve such issues;
- (n) A self-assessment of the utility's restoration efforts in the District of Columbia;
- (o) The total number of customers, and percent of all customers, restored given in one-hour intervals throughout the major service outage restoration effort (both on a system-wide basis and for the District of Columbia only); and
- (p) An analysis, based upon the availability of the data and all other surrounding circumstances, of the utility's performance in its current restoration efforts as compared to its past restoration efforts, taking into account all relevant factors, such as the severity of the current major service outage in terms of the percent of customers affected on a system-wide or local basis.

3701.8

The utility shall report non-major service outages by telephone and e-mail to OE and OPC at the earliest practicable time, but not later than one (1) hour after the utility's dispatch has been informed of a non-major service outage. This reporting requirement applies to business and non-business hours.

- 3701.9 Notwithstanding the above:
- (a) The natural gas utility shall report a single customer service outage of more than eight (8) hours only upon verification that the service outage was caused by some event on the utility's side of the customer's meter;
 - (b) No report need be filed if the single customer service outage was caused by some event on the customer's side of the meter; and
 - (c) No report need be filed if the outage is the result of planned maintenance activities, provided that the customer was informed prior to the implementation of the maintenance activities.
- 3701.10 Each telephone and e-mail report concerning a non-major service outage shall state clearly, at a minimum, the following information:
- (a) The location(s) of the service outage(s), including street addresses;
 - (b) The ward(s) and/or quadrant(s) where the service outage(s) occurred;
 - (c) The estimated number of customers out of service;
 - (d) A preliminary assessment as to the cause(s) of the service outage(s); and
 - (e) The estimated repair and/or restoration time.
- The natural gas utility shall provide regular updates to OE and OPC the initial report as it receives more information.
- 3701.11 Written reports concerning all non-major service outages shall be submitted by the natural gas utility to OE and OPC within ten (10) days from the date of repair/restoration completion or within three (3) weeks of the event occurrence, whichever comes first.
- 3701.12 Each written report concerning non-major service outages shall state clearly, at a minimum, the following information as applicable to the given incident:
- (a) A description of the service outage(s) and information as to the cause of the outage(s);
 - (b) The location(s) of the service outage(s), including street addresses;

- (c) The ward(s) and/or quadrant(s) where the service outage(s) occurred;
- (d) The time the natural gas utility received the first call regarding the outage(s) or became aware of the outage(s);
- (e) The actual repair and restoration times of the service outage(s);
- (f) The duration of the service outage(s) rounded to the nearest hour and half-hour;
- (g) The estimated number of customers affected by the service outage(s); and
- (h) The steps taken to minimize and/or control the service outage(s).

3701.13 The natural gas utility shall report by telephone and e-mail all incidents that result in the loss of human life and/or personal injury requiring hospitalization, and/or property damage of \$5,000 or more directly or indirectly arising from or connected with the natural gas utility's maintenance or operation, to OE and OPC at the earliest practicable time, but not later than thirty (30) minutes after the utility's dispatch has been informed of the incident. The natural gas utility shall provide updates to the Commission and OPC on all incidents as it receives more information. This reporting requirement applies to business and non-business hours.

3701.14 Each telephone and e-mail report concerning the loss of human life and/or personal injury, and/or property damage of \$5,000 or more, shall state clearly, at a minimum, the following information:

- (a) A description of the incident(s);
- (b) The location(s) of the incident(s), including street addresses;
- (c) The ward(s) and/or quadrant(s) where the incident(s) occurred;
- (d) The estimated number of customers and/or persons affected;
- (e) A preliminary assessment as to the cause(s) of the incident(s); and
- (f) The steps the natural gas utility will voluntarily take to provide assistance to consumers.

3701.15 Written reports concerning all incidents that result in the loss of human life and/or personal injury requiring hospitalization, and/or property

damage of \$5,000 or more, directly or indirectly arising from or connected with the natural gas utility's maintenance or operation, shall be filed with OCMS and OPC within five (5) days of the event occurrence.

3701.16

Each written report concerning the loss of human life and/or personal injury and/or loss of property in an amount of \$5,000 or more, shall state clearly, at a minimum, the following information:

- (a) A description of the incident(s) and information as to the cause of the incident(s);
- (b) The location(s) of the incident(s), including street addresses;
- (c) The ward(s) and/or quadrant(s) where the incident(s) occurred;
- (d) The time the natural gas utility received the first call regarding the incident(s) or became aware of the incident(s);
- (e) The estimated number of customers and/or persons affected, and street shutdowns;
- (f) The steps the gas utility took to provide assistance;
- (g) The amount of time it took for assistance to arrive;
- (h) The total number of injuries and fatalities;
- (i) The total dollar amount of damage caused by the incident(s);
- (j) The results of investigations into the root causes and steps the natural gas utility will implement to prevent such an occurrence in the future; and
- (k) Any other information, including any third party damage, that may be requested by the Commission.

The natural gas utility shall update the initial written report within thirty (30) days of the event occurrence.

- 3702 **REPORTING AND REPAIRING REQUIREMENTS FOR GAS LEAKS AND ODOR COMPLAINTS**
- 3702.1 The natural gas utility's reporting and repair requirements for gas leaks and odor complaints shall follow four steps: (i) respond to all leaks and odor complaints; (ii) notify, by e-mail and telephone, OE and OPC; (iii) provide periodic updates to the initial notification; and (iv) submit written reports on the results of the leak detection and repair, and odor complaints. The leak detection, classification, and repair personnel should meet the federal training requirements for natural gas operations, maintenance, and emergencies (49 C. F. R. § 192).
- 3702.2 The natural gas utility shall respond to all gas leaks and customer reported odor complaint calls within fifty (50) minutes after the utility's dispatch has been informed about the leak and odor complaint during business or non-business hours. The natural gas utility shall provide the results to OE and OPC on a semi-annual basis. The natural gas utility shall provide explanations if these time limits are exceeded.
- 3702.3 The natural gas utility shall report to OE and OPC by telephone and e-mail all natural gas leaks and customer reported odor complaint calls at the earliest practicable time, but not later than one (1) hour after the utility's dispatch has been informed about the odor complaint and/or the dispatch has determined that a leak has occurred on the utility's gas system. Gas leaks found inside customers' facilities and odor complaints where no leaks are found shall not be reported. This reporting requirement applies to business and non-business hours.
- 3702.4 Each gas leak shall be categorized as Grade 1, 2, or 3. All leaks shall be classified with the following criteria:
- (a) Grade 1: A leak that presents an immediate or probable hazard to persons or property, and requires immediate repair or continuous action until the conditions are no longer hazardous;
 - (b) Grade 2: A leak that is recognized as being non-hazardous at the time of detection, but requires scheduled repair based on probable future hazard; and
 - (c) Grade 3: A leak that is non-hazardous at the time of detection and can be reasonably expected to remain non-hazardous.
- 3702.5 Each telephone and e-mail report of a Grade 1 leak or a leak due to a gas-related odor complaint shall state clearly, at a minimum, the following information:
- (a) A description of the type of leak(s);

- (b) The location of the leak(s), including street addresses;
- (c) The ward(s) and/or quadrant(s) where the leak(s) occurred;
- (d) The estimated number of customers and/or persons affected;
- (e) A preliminary assessment as to the cause of the leak(s); and
- (f) The estimated time to repair the leak.

The natural gas utility shall provide regular updates to OE and OPC the initial report as it receives more information.

3702.6 Each telephone and e-mail report of a Grade 2 leak shall state clearly, at a minimum, the following information:

- (a) A description of the type of leak(s);
- (b) The location of the leak(s), including street addresses;
- (c) The ward(s) and/or quadrant(s) where the leak(s) occurred;
- (d) A preliminary assessment as to the cause of the leak(s); and
- (e) The estimated time to repair the leak(s).

3702.7 Each telephone and e-mail report of a Grade 3 leak shall state clearly, at a minimum, the following information:

- (a) A description of the type of leak(s);
- (b) The location of the leak(s), including street addresses; and
- (c) The ward(s) and/or quadrant(s) where the leak(s) occurred.

3702.8 All Grade 1 leaks and customer reported odor complaint leaks shall be promptly repaired. The utility shall submit a weekly written report to OE and OPC regarding the status of and the utility's progress in completing the leak repair. The natural gas utility shall inform OE and OPC prior to making any changes to the estimated leak repair time(s).

3702.9 Each written report concerning Grade 1 leaks or customer reported odor complaint leaks should state clearly, at a minimum, the following information as applicable to the incident:

- (a) Address and location of the leak or odor;

- (b) A description of the type of leak;
- (c) Pressure involved (Transmission, High Pressure or Low Pressure);
- (d) The ward(s) and/or quadrant(s) where the leak has been identified;
- (e) The time the utility received the first call regarding a gas leak or leak detection;
- (f) The cause of the leak, if known;
- (g) The actual repair time; and
- (h) Any action taken to date.

3702.10 Grade 2 leaks shall be monitored and reevaluated at least once every six months until cleared with no further signs of leak. The frequency of reevaluation shall be determined by the location and magnitude of the leak condition. If reevaluation of a Grade 2 leak indicates potential hazard, it shall be scheduled for repair within five (5) working days of completed evaluation. For Grade 2 leaks that do not pose an immediate hazard, the utility shall schedule repairs within thirty (30) days. Grade 2 leaks shall be repaired or cleared within one calendar year, but no later than 15 months from the date the leak is reported.

3702.11 Grade 3 leaks shall be monitored and reevaluated during the next scheduled leak survey, or within 15 months of the date reported, whichever occurs first, until the leak is regraded or cleared with no further signs of leak.

3702.12 Written reports for leaks classified as Grade 2 and Grade 3 shall be filed semi-annually with OCMS and OPC. The report shall be submitted forty-five (45) days after the reporting period, starting with the six-month reporting period following the NGQSS' adoption in Title 15 of the District of Columbia Municipal Regulations (DCMR).

3702.13 Each semi-annual written report concerning Grade 2 leaks, shall state clearly, at a minimum, the following information as applicable:

- (a) Address and location of the leak or odor;
- (b) A description of the type of leak;
- (c) Pressure involved (Transmission, High Pressure or Low Pressure);
- (d) The ward(s) and/or quadrant(s) where the leak was identified;

- (e) Assessment as to the cause of the leak(s); and
- (f) The schedule and the status of repair of all Grade 2 leaks consistent with the standard provided in Section 3702.10.

3702.14 Each semi-annual written report concerning Grade 3 leaks, shall state clearly, at a minimum, the following information as applicable:

- (a) Address and location of the leak or odor;
- (b) A description of the type of leak;
- (c) Pressure involved (Transmission, High Pressure or Low Pressure);
- (d) The ward(s) and/or quadrant(s) where the leak was identified; and
- (e) The status of reevaluation and repair schedule, if applicable, of Grade 3 leaks, consistent with Section 3702.11.

3702.15 The natural gas utility shall create and maintain a database for all gas leaks and customer reported gas-related odor complaints. The database shall be referred to as the "Leak Identification, Detection and Repair, and Odor Complaints (LIDAROC)". The database shall at a minimum contain the grade of the leak, type of leak, location of the leak, the ward and/or quadrant where the leak occurred, estimated number of customers and/or persons affected, the cause of the leak, response time, estimated and actual time to repair the leak, and actions taken. The natural gas utility shall incorporate all natural gas leaks and customer reported odor complaint calls into the database within five (5) days of receipt of the gas-related odor complaint and/or determination that a leak has occurred on its gas system. The database shall have the capability to disaggregate the data by response, repair, and resolution times.

3702.16 The natural gas utility shall update the database after it has repaired and/or resolved the leak and customer reported odor complaints and shall submit an electronic and a hard copy of the database to OE and OPC on a quarterly basis.

- 3703 **REPORTING AND RESPONDING REQUIREMENTS FOR GAS EMERGENCIES**
- 3703.1 The natural gas utility shall arrive at the site of the natural gas-related emergency within fifty (50) minutes of receiving an emergency call during normal business and non-business hours.
- 3703.2 All natural gas-related emergencies shall be reported by telephone and e-mail to OE and OPC at the earliest practicable time, but not later than thirty (30) minutes after the utility's dispatch has been informed that an emergency has occurred. The gas utility shall provide updates to the initial report as it receives more information. This reporting requirement applies to business and non-business hours.
- 3703.3 Each telephone and e-mail report of a gas-related emergency shall state clearly, at a minimum, the following information:
- (a) The location of the gas-related emergency, person making the report and contact information;
 - (b) The ward(s) and/or quadrant(s) where the emergency occurred;
 - (c) The estimated number of customers impacted by the emergency, and street shutdowns;
 - (d) A preliminary assessment as to the cause of the gas-related emergency;
 - (e) The time between becoming aware of the emergency and responding (arriving at the emergency site) to the emergency;
 - (f) The estimated time to clear the emergency;
 - (g) The estimated time to repair pipeline facilities affected by the emergency, and/or restore service, if applicable; and
 - (h) A preliminary assessment as to any injuries, deaths, or personal property damage.
- 3703.4 During the course of a natural gas-related emergency on the natural gas utility's system, the utility shall report periodically by telephone and e-mail to OE and OPC, regarding the status of the natural gas emergency and the utility's progress in clearing the emergency and making the site safe. The utility shall provide updates or progress on the gas related emergency every hour until the emergency is resolved.

- 3703.5 Written reports concerning all natural gas-related emergencies shall be filed with OCMS and OPC within five (5) days of the event occurrence. The utility shall provide updates to its written report as it receives more information.
- 3703.6 Each written report concerning a natural gas-related emergency shall state clearly, at a minimum, the following information:
- (a) The location of the natural gas emergency;
 - (b) The date and time when the natural gas-related emergency started;
 - (c) The date and time when the emergency crew arrived at the scene;
 - (d) The date and time when the natural gas-related emergency ended;
 - (e) An assessment as to the cause, origin, and contributing factors of the natural gas related emergency; and
 - (f) The steps the utility is taking to minimize the possibility of a recurrence of the incident.

3704 **CUSTOMER SERVICE STANDARDS, CUSTOMER SURVEYS,
SERVICE PROVISIONING**

- 3704.1 The natural gas utility shall maintain a customer service (walk-in) office physically located in the District of Columbia.
- 3704.2 The natural gas utility shall conduct annual customer surveys to assess customer satisfaction with the quality of customer service provided by the company. The gas utility shall provide the results of the surveys to OE and OPC. The customer satisfaction surveys should be conducted from (1) a statistically representative sample of residential customers; and (2) customers randomly selected from those customers who have contacted the company's customer service department within the year in which service is being measured. The representative sample shall be drawn from customers contacting the company's customer service department in the previous year and shall be conducted with a sample of customers who contacted the natural gas utility by walk-in, telephone, or e-mail. The survey instrument and the method shall be pre-approved by OE. The natural gas utility shall include the results from all available previous years of the survey up to a maximum of ten years in the Quality of Service Standard Performance Report ("QSSPR").

- 3704.3 The natural gas utility shall gather data and report statistics regarding the number of service calls met on the same day requested or scheduled, excluding instances where a customer misses a mutually agreed upon time. The natural gas utility shall report the percentage of scheduled service appointments met by the utility on the same day requested. Service appointment data shall be compiled and aggregated monthly. A minimum performance standard of 97% on a quarterly basis will apply. The natural gas utility shall record the delay, in hours and/or days, in responding to requested or scheduled service calls. The natural gas utility shall provide the results on service calls met and delayed to OE and OPC on an annual basis in the QSSPR.
- 3704.4 The natural gas utility shall gather data on the percentage of meters that are actually read by the company on a monthly basis. Eligible meters include both residential and commercial accounts. On-cycle meter reads performance standard of 95% on a quarterly basis will apply. The natural gas utility shall provide the results to OE and OPC on an annual basis in the QSSPR.
- 3704.5 The natural gas utility shall perform the customer requested meter testing on a timely basis, but at a minimum shall test 97% of meters, on a quarterly basis, on pre-scheduled test time mutually agreed upon by the utility and the customer. The natural gas utility shall submit its results to OE and OPC on an annual basis in the QSSPR.
- 3704.6 The natural gas utility shall answer at least seventy (70) percent of all customers' phone calls received within thirty (30) seconds and shall maintain records delineating customer phone calls answered by a utility representative or an automated operator system. The natural gas utility shall measure and report on an annual basis to OE and OPC the average customer wait time for being transferred from an automated operator system to a utility representative.
- 3704.7 The natural gas utility's statistics concerning customer calls answered shall exclude calls made during periods of major telecommunication failures, periods of labor disruptions, and periods of major service outage.
- 3704.8 The natural gas utility shall maintain a call abandonment rate below ten (10) percent on a quarterly basis, and report the information to OE and OPC on an annual basis in the QSSPR.
- 3704.9 The natural gas utility's call abandonment statistics shall exclude calls made during periods of major telecommunications failures, periods of labor disruption, and periods of major service outage.

- 3704.10 If the natural gas utility fails to meet the standards set forth in Sections 3704.3, 3704.4, 3704.5, 3704.6 or 3704.8, for two consecutive quarters, it shall be required to develop a corrective action plan.
- 3704.11 The corrective action plan shall describe the cause(s) of the utility's non-compliance with Section 3704.3, 3704.4, 3704.5, 3704.6 or 3704.8, describe the corrective measure(s) to be taken to ensure that the standard is met or exceeded in the future, and set a target date for completion of the corrective measure(s).
- 3704.12 Progress on current corrective action plans shall be included in the utility's annual QSSPR, filed with OCMS, OE, and OPC by April 30 of each year starting with the year after the adoption of the NGQSS' in Title 15 of the District of Columbia Municipal Regulations (DCMR).
- 3704.13 The natural gas utility shall complete installation of 80%, on a quarterly basis, of new residential service requests within ten (10) business days of the start date for the new installation.
- 3704.14 The start date for a new installation shall be designated as the first business day after all of the following events have taken place:
- (a) The customer's valid billing information is received;
 - (b) The site is ready for service (cleared, graded, staked, etc.);
 - (c) The service connection fee is paid, if applicable;
 - (d) The gas safety inspection is received;
 - (e) The security deposit is paid, if applicable;
 - (f) All mains and regulating facilities are installed;
 - (g) Any required public space excavation is completed;
 - (h) Any delays due to weather emergencies do not intervene; and
 - (i) All rights-of-way and permits are obtained.
- 3704.15 The natural gas utility shall submit a written report on its performance pursuant to Section 3704.13 every six (6), months. The report shall be submitted to OE and OPC, forty-five (45) days after the reporting period, starting with the six month reporting period following the adoption of the NGQSS' in Title 15 of the District of Columbia Municipal Regulations (DCMR).

- 3704.16 After four (4) reports pursuant to Section 3704.15 have been submitted, the frequency of the reporting may be changed by the Commission, provided notice of the change is given.
- 3704.17 The reports pursuant to Section 3704.15 shall clearly state the total number of new residential service installation requests received during the relevant reporting period, and for the new residential installation service requests received, the percentage of new residential service connections that were completed in accordance with Section 3704.13.
- 3704.18 If the natural gas utility fails to meet the standard set in Section 3704.13 in any two consecutive quarters, it shall develop a corrective action plan.
- 3704.19 The corrective action plan shall describe the cause(s) of the utility's non-compliance with Section 3704.13, describe the corrective measure(s) to be taken to ensure that the standard is met or exceeded in the future, and set a target date for completion of the corrective measure(s).
- 3704.20 Progress on any current corrective action plans shall be included in the utility's annual QSSPR.
- 3704.21 The natural gas utility shall report the actual performance obtained during the reporting period in the annual QSSPR of the following year.
- 3705 **RELIABILITY STANDARDS, LOW PRESSURE WATER FILTRATION, UNDERGROUND DAMAGE PREVENTION, LOST TIME ACCIDENTS**
- 3705.1 The natural gas utility shall establish a gas main ranking index to determine its gas main segments (including associated service lines) most in need of improvement or replacement. Factors associated with the main ranking index for making improvement and replacement decisions include, poor leak history, poor cathodic protection or poor gas main conditions determined from visual observations, poor pressure in the area, interruption of service due to water infiltration, segment affected by city or state public improvement projects, etc. At least once each calendar year, the natural gas utility shall rank and identify areas of piping networks of its natural gas operating system requiring improvements to eliminate segments most susceptible to leakage, failure, supply interruptions or failure to meet its minimum design pressure and volume deliverability requirements. The utility shall establish a performance ranking by area, on a scale of one to ten, one being the poorest performing segment. The natural gas utility shall provide the results to OE and OPC on a biennial basis.

- 3705.2 Each calendar year, the natural gas utility shall perform necessary analysis for the issues identified in Section 3705.1, and provide plans for eliminating the ten worst performing segments due to low pressure or interruption problems. The natural gas utility shall file the results with OCMS and OPC on a biennial basis.
- 3705.3 The natural gas utility shall respond to all underground utility locate requests and locate their facilities in accordance with the damage prevention laws established within the District of Columbia and the U.S. Department of Transportation. The utility shall maintain an accurate count of all locate requests, responses to locate requests, number of gas main and service lines inaccurately marked which resulted in damages or construction delays, number of locations which the utility failed to mark as required by the damage prevention rules, number of calls not made by excavation contractors for accurately marked utility lines, damages caused by excavators or a third party to gas facilities (both above ground and underground), third party responsible for the damage, and the root cause(s) of the damage. An annual report shall be filed with OCMS and OPC in the QSSPR.
- 3705.4 The natural gas utility shall monitor high volume condensate drips on its low pressure distribution network to minimize service continuity disruption. In no case shall a natural gas customer outage due to condensate accumulation be more than 5% of the low-pressure customer base during two consecutive winter periods. The natural gas utility shall prepare a remediation plan within 120 days of exceeding the 5% standard of service interruption, for the approval of the Commission, and provide a target date for completion of the recommended repair to the low-pressure piping network. The natural gas utility shall file the results with OCMS and OPC on an annual basis in the QSSPR.
- 3705.5 The standard in 3705.4 may be changed or modified, at a later date, based on a study of trends in service interruptions.
- 3705.6 The natural gas utility shall measure annually its Lost Time Accident Rate as reported in Occupational Safety and Health Administration (“OSHA”) 300 Log Summary of Occupational Injuries and Illnesses.² The natural gas utility shall provide the results to OE and OPC on an annual basis in the QSSPR.

² Brief explanation of OSHA 300 log is provided in the definition section of this rule. Further details are available in 29 C.F.R. § 1904.

3706 BILLING ERROR NOTIFICATION

- 3706.1 The natural gas utility and all natural gas service providers must inform OE and OPC when a billing error has affected 100 or more customers or the number of affected customers is equal to or more than two (2) percent of the natural gas utility's or natural gas service provider's customer base, whichever is fewer. The natural gas utility and natural gas service providers with a customer base of fewer than 100 customers shall report errors when two (2) or more customers are affected.
- 3706.2 The natural gas utility and all natural gas service providers shall submit an initial billing error notification within one (1) business day of discovering or being notified of the error. After submitting the initial notification, the natural gas utility and natural gas service providers must submit a follow-up written report within 14 calendar days and a final written report within 60 calendar days.
- 3706.3 The initial billing error notification shall be sent via e-mail to OE and OPC.
- 3706.4 The initial billing error notification shall contain the following information:
- (a) Type(s) of billing error(s) found;
 - (b) Date and time the billing error(s) was discovered;
 - (c) How the natural gas utility service provider discovered the error(s); and
 - (d) Approximate number of customers affected.
- 3706.5 The follow-up written report shall contain the following information:
- (a) Type(s) of billing error(s);
 - (b) Date and time of the billing error(s);
 - (c) Number of customers affected;
 - (d) Cause of the error and status of any and all corrective action(s) taken; and
 - (e) Timeline for completing any and all other required corrective action(s) which must include the provision of refunds and/or

credits, no later than 60 days after the billing error(s) was discovered, as necessary to correct the billing error(s).

- 3706.6 The final written report shall contain the following information:
- (a) Type(s) of billing error(s);
 - (b) Date and time of billing error(s);
 - (c) Number of customers affected and the dollar amount involved;
 - (d) Duration of the billing error(s);
 - (e) Corrective action(s) and preventative measure(s) taken; and
 - (f) Lessons learned, if any.
- 3706.7 Upon receipt of the final written report, the Commission shall determine whether any further investigation is necessary.
- 3706.8 No later than 60 days after the date the natural gas utility or natural gas supplier discovers or is notified of the billing error(s), it shall notify each affected customer of the following:
- (a) The nature of the error;
 - (b) The amount by which the customer's previous bill(s) were inaccurate; and
 - (c) If appropriate, the steps the natural gas utility or natural gas service provider will take to ensure that the customer receives a full refund if overbilled or make payment if underbilled no later than the date specified in Section 3706.5(e).

The natural gas utility shall inform customers by letter to describe the nature of the billing error and the corrective action that the company intends to implement. If a refund or outstanding balance appears on a customer's billing statement, the gas utility shall provide a clear description and explanation of the reason(s) for the error.

3707 WAIVER

- 3707.1 The Commission may, in its discretion, waive any provisions of Chapter 37 of this title.

3799 DEFINITIONS

3799.1 When used in this chapter, the following terms and phrases shall have the meaning ascribed:

Abandoned Calls – calls to the natural gas utility that are terminated by the customer after the customer selects the menu option and is placed in the queue, but before the call is answered by the utility customer representative or any other automated response system.

Call Abandonment Rate – the annual number of calls to the utility's call center or business office that were abandoned divided by the total number of calls the utility received.

Call Answering – a process whereby natural gas utility representative, voice response unit, or other automated operator system is ready to render assistance or ready to accept information necessary to process a customer's call. An acknowledgement that the customer is waiting on the line does not constitute an answer.

Commission – Public Service Commission of the District of Columbia.

Condensate Drips – devices installed on low pressure natural gas distribution system at its lowest elevation to facilitate collection of condensates such as ground water or other liquids infiltrating into the gas piping.

Dispatch – A unit of the gas utility that receives calls, disseminates information and assigns service calls to technicians and field crews, and acknowledges feedback during responses to gas leaks, incidents and emergencies.

Distribution Line – gas pipelines that provide natural gas delivery service to consumers.

Gas Emergency – any sudden and unexpected situation where leakage, blowing gas, loss of gas pressure, an overpressure condition, or loss of communication or control system has caused or may cause serious injury or damage to life and/or property. Examples of emergencies include fires, explosions, escaping gas, unplanned supply interruptions, bomb threats, releases of hazardous material, vehicle accidents, carbon monoxide poisonings, odorant releases, and natural disasters.

Gas Pipeline Facility – includes a pipeline, a right of way, a building, or equipment used in transporting natural gas or treating natural gas during its transportation.

Gas Related Emergency Call – a telephone call where the caller believes that he or she is confronting special circumstances that might lead to bodily and/or system-related damage if circumstances remain unaddressed. Examples include, but are not limited to, gas detected inside or near buildings, fire/explosion near or directly involving gas

pipeline facility with or without escaping gas, unplanned supply interruption, uncontrolled escape of gas, or other conditions that may warrant immediate response.

High Pressure (HP) System – a gas pipeline in which the gas pressure is higher than the pressure provided to the customer. Typically, high pressure pipelines operate between 18 and 60 pounds per square inch gauge (psig).

Interruption Duration – the period of time, truncated or rounded to the nearest minute, during which a sustained interruption occurs.

Incident – an event involving the release or potential release of natural gas that interrupts normal operations or causes a crisis. A reportable incident is an event that involves the release of gas and a death or injury requiring in-patient hospitalization or property damage of at least \$5,000. Incidents include damages or costs in excess of \$5,000, or an event receiving media attention or that requires closing a public street.

Low Pressure System – a gas pipeline in which the pressure is substantially the same as the pressure provided to the normal residential customer. Low pressure lines normally operate at 7.8 inches water column.

Major Service Outages – customer interruption occurrences and durations during time periods when 2% or more (2,500) of the natural gas utility's District of Columbia customers are without service and the restoration effort due to this service outage takes more than twenty-four (24) hours.

Natural Gas – is a gaseous flammable fossil fuel consisting primarily of methane.

Natural Gas Service Provider – a natural gas supplier, including an Aggregator, Broker, or Marketer, who generates or produces natural gas, sells natural gas, or purchases, brokers, arranges, or markets natural gas for sale to customers.

Natural Gas Utility – the company that owns or controls the distribution facilities required for the transmission and delivery of natural gas to customers, provides sales service and delivery of distribution service of natural gas, and is regulated by the Public Service Commission of the District of Columbia.

Non-major Service Outages – customer service outages caused by the failure of devices such as pressure regulators, underground excavation damage, or meter freeze-ups lasting more than eight (8) hours, regardless of how many customers are affected; or customer service outages affecting over 25 but fewer than 2,500 customers, regardless of duration.

Occupational Safety and Health Administration (OSHA) 300 log (OSHA 300 Log) – Each employer subject to the record keeping requirements of the Occupational Safety and Health Act of 1970 must maintain for each establishment, a log of all recordable occupational injuries and illnesses on forms approved by OSHA. This form is called OSHA 300 Log. It is regularly updated by OSHA. OSHA 300 Log should be used to

record each case within seven (7) calendar days after the employer received information that a recordable work-related injury or illness has occurred.

Normal Business Hours: For any questions, suggestions or problems, call the main office at 703-750-1000, 202-624-6049, or 1-800-752-7520 from Monday through Friday, 8:00 a.m. to 9:00 p.m., and Saturday, 8:00 a.m. to 4:30 p.m. (except major holidays). For natural gas emergency, call 703-750-1400 or 1-800-752-7520 at any time. For 24-hour service or bill payment, call the automated service line at 703-750-7944. The main office serves customers Monday through Friday (except holidays) from 8:30 a.m. to 4:30 p.m. The Anacostia office accepts bill payments by check or money order only, Monday through Friday (except holidays), 8:00 a.m. to 4:00 p.m. All other hours including, holidays and Sunday are designated as non-normal business hours.³

Office of the Commission Secretary (OCMS) – Secretary of the Public Service Commission of the District of Columbia.

Office of Engineering (OE) – Office of Engineering of the Public Service Commission of the District of Columbia.

Office of the People's Counsel (OPC) – Office of the People's Counsel of the District of Columbia.

Outside Assistance – resources not routinely used by a natural gas utility for service restoration. Natural gas utility resources transferred among utility operating areas are not considered outside assistance.

PSIG – pounds per square inch gauge.

Regulator Station – a facility for controlling the pressure and flow of natural gas serving a distribution system.

Telephone Service Factor – the percentage of calls answered within a specified amount of time. For example, if the service level time is set at thirty (30) seconds and 70 percent of calls are answered in less than 30 seconds, then the telephone service factor is 70.

Transmission Line – pipeline that operates at a pressure greater than 60 psig.

All persons interested in commenting on the subject matter of this proposed rulemaking action may submit comments, in writing, not later than thirty (30) days after publication of this notice in the *D.C. Register*, with reply comments to be filed within forty-five (45) days from the date of publication in the *D.C. Register* to Dorothy M. Wideman, Commission Secretary, Public Service Commission of the District of Columbia, 1333 H Street, N.W., West Tower, Suite 200, Washington, D.C. 20005. Copies of these proposed rules may be obtained, at cost, by writing the Commission Secretary at the above address.

³ Business and non-business hours as defined herein applies to Washington Gas Light Company.