

DISTRICT OF COLUMBIA
EDUCATION LICENSURE COMMISSION

Notice of Education Licensure Commission Public Sessions

The Education Licensure Commission (“the Commission”), pursuant to the Advisory Neighborhood Commission Act, CODE Ann., § 1-261 (1987), AND THE ADMINISTRATIVE PROCEDURE ACT, D.C. CODE ANN., § 1-1506 (1987), hereby gives notice that the Commission’s public meetings are going to take place as follow:

Unless otherwise noted, meetings are held monthly, every 4th Tuesday, 3:15 P.M., at:

One Judiciary Square
441 4th Street, Northwest
Judiciary Square Conference Center, Suite 1114
Washington, DC 20001

Meeting Dates	Session
January 23, 2007	PS-01-07
February 27, 2007	PS-02-07
March 27, 2007	PS-03-07
April 24, 2007	PS-04-07
May 22, 2007	PS-05-07
June 26, 2007	PS-06-07
July 24, 2007	PS-07-07
September 25, 2007	PS-09-07
October 23, 2007	PS-10-07
November 27, 2007	PS-11-07
December 18, 2007	PS-12-07

T:ELC/Admin/DC Register'07 Notice

BOARD OF ELECTIONS AND ETHICS
CERTIFICATION OF ANC/SMD VACANCIES

The District of Columbia Board of Elections and Ethics hereby gives notice that there are vacancies in sixteen (16) Advisory Neighborhood Commission offices, certified pursuant to D.C. Official Code § 1-309.06(d)(2); 2001 Ed.

VACANT: 3B02
3D07, 3D08
4C06
5C10
6B07, 6B11, 6D03
7D07
7E02
8B03, 8B07
8C02, 8C05, 8C06
8E01

Petition Circulation Period: Monday, January 8, 2007 thru Monday, January 29, 2007

Petition Challenge Period: Thursday, February 1, 2007 thru Wednesday, February 7, 2007

Candidates seeking the Office of Advisory Neighborhood Commissioner, or their representatives, may pick up nominating petitions at the following location:

D.C. Board of Elections and Ethics
441 - 4th Street, NW, Room 250N

For more information, the public may call 727-2525.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 2.6 kW air compressor, one (1) 3.7 kW air compressor, one (1) 4.8 kW air compressor, one (1) 9.7 kW air compressor, one (1) 5 kW air compressor, one (1) 0.6 kW air compressor, one (1) 6.7 kW air compressor and one (1) 64 kW air compressor to the Architect of the Capitol for use at DC Village, S.E., Washington DC 20032.

The application to install / operate the air compressors and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENT**NOTICE OF PERMIT ACTION**

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 692 kW generator, one (1) 910 kW generator and one (1) 60 kW emergency generator set in the House Office Buildings located at 2nd & D Streets, SW., Washington DC 20515.

The application to install / operate the generators and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 194 kW emergency generator set in the U.S Botanical Garden located at First Street, SW., Washington DC.

The application to install / operate the generator and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 59.68 kW air compressor, one (1) 2.2 kW generator and one (1) 2.5 kW emergency generator set on the U.S Capitol Grounds located at 14th & E Streets, SE., Washington DC 20003.

The application to install / operate the generators and the compressor and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 107 kW generator, one (1) 560 kW generator and one (1) 2.5 kW emergency generator set in the House Office Buildings located at Independence Avenue and S Streets, SE., Washington DC 20515.

The application to install / operate the generators and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 260 kW generator and one (1) 827 kW emergency generator set in the U.S Capitol Building-Senate Side of the Capitol Hill, Washington DC.

The application to install / operate the generators and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after January 29, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 659 kW generator, one (1) 2.6 kW air compressor, one (1) 5.5 kW generator, one (1) 10 kW generator and one (1) 15 kW emergency generator set in the Senate Office Buildings located at First and C Streets NE., Washington DC 20002.

The application to install / operate the generators and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after February 5, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 4.8 kW air compressor set in the Senate Office Buildings located at Constitution Ave., and Delaware Ave., NE., Washington DC 20002.

The application to install / operate the air compressor and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after February 5, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

GOVERNMENT OF THE DISTRICT OF COLUMBIA
DISTRICT DEPARTMENT OF THE ENVIRONMENTNOTICE OF PERMIT ACTION

Notice is hereby given that, pursuant to 40 CFR Part 51.61, D.C. Code §1.1506, and 20 DCMR § 206, the Air Quality Division (AQD) of the District Department of the Environment (DDOE) located at 51 N Street, N.E., Washington, DC intends to issue a permit to install and operate one (1) 250 kW emergency generator set in the Senate Office Buildings located at First and Constitution Ave., NE., Washington DC 20002.

The application to install / operate the generator and the draft permit are all available for public inspection at AQD and copies may be made between the hours of 8:15 A.M. and 4:45 P.M. Monday through Friday. Interested parties wishing to view these documents should provide their names, addresses, telephone numbers and affiliation, if any, to Olaniyan Tajudeen, at (202) 535-2998.

Interested persons may submit written comments within 30 days of publication of this notice. Comments should be addressed to Stanley C. Tracey, Acting Program Manager, Air Quality Division, District Department of the Environment, 51 N Street, N.E., Washington D.C. 20002. **No written comments postmarked after February 5, 2007 will be accepted.** The written comments must also include the person's name, telephone number, affiliation, if any mailing address and a statement outlining the air quality issues in dispute and any facts underscoring those air quality issues. All relevant comments will be considered in issuing the final permit. For more information, please contact Olaniyan Tajudeen at (202) 535- 2998.

DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT

NOTICE FOR THE HOUSING PRODUCTION TRUST FUND ADVISORY BOARD MEETINGS

The Department of Housing and Community Development, in accordance with §42-2802.01 of the DC Official Code, the Housing Production Trust Fund Act of 1988, DC Law 7-202, announces that the Housing Production Trust Fund Advisory Board 2007 meetings will be as follows:

January 17, 2007
April 18, 2007
June 13, 2007
September 19, 2007

The meetings will be held at DHCD's Headquarters, located at 801 North Capitol Street, NE, Washington, DC 20002, in Suite 9000 at 9:30 am.

For additional information, please contact Oke Anyaegbunam at 442-7200.

OFFICE OF DOCUMENTS AND ADMINISTRATIVE ISSUANCES
PUBLICATIONS PRICE LIST

DISTRICT OF COLUMBIA MUNICIPAL REGULATIONS (DCMR)

TITLE	SUBJECT	PRICE
1	DCMR MAYOR AND EXECUTIVE AGENCIES (JUNE 2001).....	\$16.00
3	DCMR ELECTIONS & ETHICS (JUNE 1998).....	\$20.00
4	DCMR HUMAN RIGHTS (MARCH 1995).....	\$13.00
5	DCMR BOARD OF EDUCATION (DECEMBER 2002).....	\$26.00
6A	DCMR POLICE PERSONNEL (MAY 1988).....	\$8.00
7	DCMR EMPLOYMENT BENEFITS (JANUARY 1986).....	\$8.00
8	DCMR UNIVERSITY OF THE DISTRICT OF COLUMBIA (JUNE 1988).....	\$8.00
9	DCMR TAXATION & ASSESSMENTS (APRIL 1998).....	\$20.00
10	DCMR DISTRICT'S COMPREHENSIVE PLAN (PART 1, FEBRUARY 1999).....	\$33.00
10	DCMR PLANNING & DEVELOPMENT (PART 2, MARCH 1994) w/1996 SUPPLEMENT*.....	\$26.00
11	DCMR ZONING (FEBRUARY 2003).....	\$35.00
12	DCMR CONSTRUCTION CODES SUPPLEMENT (2003).....	\$25.00
13B	DCMR BOILER & PRESSURE VESSEL CODE (MAY 1984).....	\$7.00
14	DCMR HOUSING (DECEMBER 2004).....	\$25.00
15	DCMR PUBLIC UTILITIES & CABLE TELEVISION (JUNE 1998).....	\$20.00
16	DCMR CONSUMERS, COMMERCIAL PRACTICES & CIVIL INFRACTIONS (JULY 1998) W/DECEMBER 1998 SUPPLEMENT.....	\$20.00
17	DCMR BUSINESS, OCCUPATIONS & PROFESSIONS (MAY 1990).....	\$26.00
18	DCMR VEHICLES & TRAFFIC (APRIL 1995) w/1997 SUPPLEMENT*.....	\$26.00
19	DCMR AMUSEMENTS, PARKS & RECREATION (JUNE 2001).....	\$26.00
20	DCMR ENVIRONMENT - CHAPTERS 1-39 (FEBRUARY 1997).....	\$20.00
20	DCMR ENVIRONMENT - CHAPTERS 40-70 (FEBRUARY 1997).....	\$26.00
21	DCMR WATER & SANITATION (FEBRUARY 1998).....	\$20.00
22	DCMR PUBLIC HEALTH & MEDICINE (AUGUST 1986).....	\$26.00
22	DCMR HEALTH CARE & COMMUNITY RESIDENCE FACILITIES SUPPLEMENT (AUGUST 1986 - FEBRUARY 1995).....	\$13.00
23	DCMR ALCOHOLIC BEVERAGES (AUGUST 2004).....	\$10.00
24	DCMR PUBLIC SPACE & SAFETY (DECEMBER 1996).....	\$20.00
25	DCMR FOOD AND FOOD OPERATIONS (AUGUST 2003).....	\$20.00
26	DCMR INSURANCE (FEBRUARY 1985).....	\$9.00
27	DCMR CONTRACTS AND PROCUREMENT (JULY 1988).....	\$22.00
28	DCMR CORRECTIONS, COURTS & CRIMINAL JUSTICE (AUGUST 2004).....	\$10.00
29	DCMR PUBLIC WELFARE (MAY 1987).....	\$8.00
30	DCMR LOTTERY AND CHARITABLE GAMES (MARCH 1997).....	\$20.00
31	DCMR TAXICABS & PUBLIC VEHICLES FOR HIRE (JULY 2004).....	\$16.00

OTHER PUBLICATIONS

1994 - 1996 Indices	\$52.00 + \$5.50 postage
1997 - 1998 Indices	\$52.00 + \$5.50 postage
Complete Set of <i>D.C. Municipal Regulations</i>	\$628.00
D.C. Register yearly subscription	\$195.00
Rulemaking Handbook & Publications Style Manual (1983)	\$5.00
*Supplements to D.C. Municipal Regulations	\$4.00

MAIL ORDERS: Send exact amount in check or money order made payable to the D.C. Treasurer.
Specify title and subject. Send to: D.C. Office of Documents and Administrative Issuances, Room 520,
One Judiciary Square, 441 - 4th St., N.W., Washington, D.C. 20001. Phone: 727-5090

OVER THE COUNTER SALES: Come to Rm. 520, One Judiciary Sq., Bring check or money order.

All sales final. A charge of \$65.00 will be added for any dishonored check (D.C. Law 4-16)