

DISTRICT OF COLUMBIA
BOARD OF ELECTIONS AND ETHICS

Certification of Filling a Vacancy
In Advisory Neighborhood Commission

Pursuant to D.C. Code section §1-309.06 (d)(6)(G) and the resolution transmitted to the District of Columbia Board of Elections and Ethics ("Board") from the affected Advisory Neighborhood Commission, the Board hereby certifies that a vacancy has been filled in the following single member district by the individual listed below:

Carl D. Ross
Single Member District 3D08

District of Columbia
BOARD OF ELECTIONS AND ETHICS

Monthly Report
of
Voter Registration Statistics
for the period ending
June 30, 2005

Covering Citywide Totals by:

WARD, PRECINCT, and PARTY

One Judiciary Square
441 - 4th Street, NW, Suite 250N
Washington, DC 20001
(202) 727-2525
<http://www.dcboee.org>

6863

D.C. BOARD OF ELECTIONS AND ETHICS
MONTHLY REPORT OF VOTER REGISTRATION STATISTICS

CITYWIDE SUMMARY

Party Totals and Percentages by Ward for the period ending June 30, 2005

WARD	DEM	REP	STG	N-P	OTH	TOTALS
1	29,172	2,587	942	8,665	234	41,600
2	24,356	5,293	482	8,529	189	38,849
3	29,616	7,869	444	9,021	135	47,085
4	41,242	2,786	632	7,444	208	52,312
5	40,080	2,163	628	6,514	218	49,603
6	33,507	4,560	633	7,289	192	46,181
7	38,095	1,672	495	5,437	161	45,860
8	31,018	1,612	539	5,092	169	38,430
TOTALS	267,086	28,542	4795	57,991	1506	359,920
TOTAL Percentage (by party)	74.2%	7.9%	1.3%	16.1%	0.4%	100.0%

**D.C. BOARD OF ELECTIONS AND ETHICS
MONTHLY REPORT OF VOTER REGISTRATION STATISTICS**

PRECINCT STATISTICS

Ward 4

For the Period Ending: June 30, 2005

PRECINCT	DEM	REP	STG	N-P	OTH	TOTALS
45	1,815	100	31	312	13	2,271
46	2,509	101	38	452	12	3,112
47	2,155	161	40	542	16	2,914
48	2,356	155	38	425	9	2,983
49	616	36	15	147	4	818
51	2,875	610	41	582	8	4,116
52	1,152	280	8	232		1,672
53	951	93	22	224	4	1,294
54	1,855	126	36	399	16	2,432
55	2,286	112	30	361	18	2,807
56	2,707	99	38	569	15	3,428
57	2,202	103	33	377	15	2,730
58	2,053	63	33	324	6	2,479
59	2,408	93	31	349	12	2,893
60	1,542	98	28	531	13	2,212
61	1,475	73	21	247	3	1,819
62	2,979	187	40	335	8	3,549
63	2,716	131	66	456	15	3,384
64	2,157	82	17	288	10	2,554
65	2,433	83	26	292	11	2,845
TOTALS	41,242	2,786	632	7,444	208	52,312

**D.C. BOARD OF ELECTIONS AND ETHICS
MONTHLY REPORT OF VOTER REGISTRATION STATISTICS**

PRECINCT STATISTICS

Ward 7

For the Period Ending: June 30, 2005

PRECINCT	DEM	REP	STG	N-P	OTH	TOTALS
80	1,146	54	15	179	8	1,402
92	1,201	64	19	184	8	1,476
93	1,168	58	13	175	5	1,419
94	1,525	75	20	196	5	1,821
95	1,273	41	24	196	2	1,536
96	1,659	73	27	260	4	2,023
97	969	44	18	164	2	1,197
98	1,404	47	18	179	9	1,657
99	1,059	46	17	167	7	1,296
100	1,342	66	21	198	4	1,631
101	1,419	48	14	173	6	1,660
102	1,815	80	24	222	9	2,150
103	2,741	121	34	409	13	3,318
104	1,939	96	29	297	13	2,374
105	1,599	69	27	222	6	1,923
106	2,564	103	31	334	5	3,037
107	1,176	65	14	212	4	1,471
108	1,025	45	7	100	5	1,182
109	923	41	10	95	3	1,072
110	3,367	135	37	429	13	3,981
111	1,704	67	26	308	7	2,112
112	1,731	72	20	259	11	2,093
113	1,801	85	15	264	7	2,172
132	1,545	77	15	215	5	1,857
TOTALS	38,095	1,672	495	5,437	161	45,860

Howard Road Academy
701 Howard Road, S.E.
Washington, D.C. 20020

REQUEST FOR PROPOSAL

Mosaica Education, Inc. and the Howard Road Academy Board of Directors invite proposals for Pre-plated meals service for the National School Lunch and Breakfast Programs for Howard Road Academy, Washington D.C.

Proposals are to be received at Mosaica Education Inc. to the attention of the Purchasing Manager, Stefanie Noffsinger, at 100 Wall St. 9th Floor, New York, NY 10005, on **July 28, 2005**, and not later than, 5 PM, at which time they will be privately opened and read. Bid specifications may be obtained by contacting Stefanie R. Noffsinger, Manager of Purchasing, tel. 212-232-0305 ext. 217.

**GOVERNMENT OF THE DISTRICT OF COLUMBIA
DEPARTMENT OF HUMAN SERVICES**

PUBLIC NOTICE OF FUNDING AVAILABILITY

**INCOME MAINTENANCE ADMINISTRATION (IMA)
DOMESTIC VIOLENCE PROGRAM GRANT**

The Department of Human Services (DHS), Income Maintenance Administration (IMA) is the lead agency in the District of Columbia for the implementation of the Temporary Assistance for Needy Families (TANF) Program, under the Personal Responsibility and Work Opportunity Reconciliation Act of 1996. Time limited assistance is available through TANF for eligible families. As a condition of eligibility, applicants and recipients must comply with program requirements, which are designed to encourage and support personal accountability and self-sufficiency. One of the barriers that may impede progress toward self-sufficiency is domestic violence.

The experience of the IMA indicates that customers are hesitant to disclose that they are current or past victims of domestic violence to caseworkers, especially at the time of application for benefits. It is essential to provide opportunities for disclosure and to address the impact and effect of domestic violence.

The District has grant funds available through TANF to assist customers to identify and to overcome barriers to self-sufficiency due to domestic violence. Through this funding customers who disclose either an interest in or need to confront issues of domestic violence will be referred to those trained in domestic violence intervention for screening, assessment, and supportive services.

(DHS/IMA) seeks community-based and faith-based organizations in the District to establish family-to-family mentoring programs to encourage and promote the development of individuals within strong families and within a framework that builds upon family strengths, including marriage. The funds are made available through the U.S. Department of Health and Human Services, Temporary Assistance for Needy Families (TANF) program.

DHS/IMA intends to award one or more grants to organizations that will provide domestic violence support services as outlined in the Program Scope in Section II. The total amount available for the grant is \$150,000.

The Request for Application (RFA) will be released on July 18, 2005. The RFA may be obtained from DHS/IMA located at 645 H Street, NE, Washington, D.C., 20002. In addition, the RFA will also be available on the Mayor's Office of Partnerships and Grants Development website (<http://www.opgd.dc.gov>) under the link to the District Grants Clearinghouse. For

additional information, please contact Ms. Priscilla Burnett, Department of Human Services, Office of Grants Management at 202-671-4407.

The deadline for submission is Tuesday, August 30, 2005 at 5:00 p.m

Applicants are encouraged to attend the Pre-Application conference scheduled for August 9, 2005 from 9:30 a.m. until 12:00 noon at the Income Maintenance Administration, 645 H Street, NE; 5th Floor Conference Room, Washington, D.C., 20002. Applicants interested in attending the Conference should RSVP to Vickie Perry, DHS/IMA at (202) 698-4171 on or before Friday, August 5, 2005.

**Hyde Leadership Public Charter School
Window Replacement Project
Request for Proposal**

Windows

Number of windows: 230 (approximately, all windows must be replaced, bidder must verify the count)

Number of Operable Security Screens: 85

Number of Air Conditioner to be Re-installed: 83

Type of Windows: Single Hung and Fixed
Window Finish: Baked Enamel Finish in White Color
Window Glazing: Tempered Insulated Glass
Window Grids: Colonial Style to Match Existing

Environmental

Due to the age of the existing windows, lead based paint (LBP) is an issue. Contractor will comply with the local and federal lead exposure regulations during window removal process using the following criteria:

Pre-Cleaning: This will be undertaken bare floor pre-work samples exceed the regulated limit:

Site Preparation: This covers signage, barriers, strategic placement of poly drop clothes, etc.

Removal and Air Monitoring: Lead based waste must be tested for TCLP before disposal. Personal air monitoring must be undertaken to comply with the law.

Post Removal Activity: Sealing and storage of old windows, and final cleanup of the site.

SpecificationsGeneral:

Thermal Break Construction: For fabricated aluminum windows units with an integral concealed low-conductance thermal barrier, located between the exterior and the interior of the windows, in a manner that eliminates direct metal-to-metal contact. The thermal

break de-bridge spacing must be a minimum of 5/32". The thermal break shall be of a poured-in-place polyurethane material.

Material:

A. Aluminum Extrusions: All extrude sections shall be of 6063-T6 aluminum. Alloy and temper strength shall be no less than 22,000 psi ultimate tensile strength, a yield of 16,000 psi. Comply with ASTM B 221.

B. Fasteners: Aluminum, stainless steel, or other materials to be non-corrosive and compatible with aluminum window members, hardware and other components of the windows.

1. Do not use exposed fasteners on exterior except where unavoidable for application of hardware.

2. Provide zinc-plated steel Phillips flathead machine screws for exposed fasteners, where required, or special tamperproof fasteners.

3. Locate all fasteners so as not to bridge the thermal break construction of windows.

C. Sliding Weather stripping: Provide double weather stripping using silicone-coated woven pile with polypropylene fin center where specified with AAMA 701.

Window Classification (Grade):

Provide aluminum window units complying with requirements of AAMA Classification H-HC40.

Window Types (Operation):

General: The following paragraphs define operating arrangements for types of sash required in window units.

1. For fixed aluminum windows or insulated panel frames: no operating hardware or equipment is required.

2. Single hung aluminum windows: Units containing two balanced vertically sliding sash; complying with AAMA 902 "Voluntary Specifications for Sash Balances" and as specified hereinafter, lift handles on lower rail of lower sash, and pull-down handles on top of meeting rail of upper sash. Provide gravity type latches at sill to lock sash in closed position.

Fabrication and Accessories:

A. Window Members: All window members, including muntin bars, shall be of aluminum. Main frame and sash members shall not have required minimum wall thickness as long as they meet all specifications of ANSI/AAMA 101. The standard wall thickness to tolerance as defined by the Aluminum Association shall apply.

B. Thermal Break: The thermal break shall provide a continuous uninterrupted thermal break around the entire perimeter of the frame and all panels and shall not be bridged by any metal conductors.

C. Hardware: Hardware having component parts which are exposed shall be of aluminum, stainless steel, or other non-corrosive materials compatible with aluminum. Cadmium or zinc-plated steel where used must be in accordance with ASTM Specification A 165 or A 164.

1. Primary sash locks: All primary locking devices shall be anodized aluminum gravity latch. No plastic or zinc die cast will be permitted.

2. All sashes are to be side loaded, both sashes, top and bottom, shall be drop-in around glazing.

Construction:

1. Assembly: The windows shall be assembled in a secure and workmanlike manner to perform as hereinafter specified. All joints of the main frame and the sash shall be butt type, coped and jointed neatly and secured by means of screws anchored in integral ports. The main frame at the sill and head shall be sealed on the underside with a narrow joint sealant meeting AAMA 803.3 specification for Narrow Joint Sealants.

2. Sash Construction: The sash shall be of butt construction mechanically joined so that they may be easily repaired. The meeting rails of the top and bottom sash shall interlock in the closed position. The meeting rail interlock shall consist of two separate and distinct metal interlocks containing fin seal weather stripping as an integral part of both interlocks.

Mullions and Other Structural Members:

When multiple window units occur, whether they are joined by integral mullions, independent mullions or by a combination of frame members, the resulting members must be capable of withstanding the load outlined under Uniform Load specified load requirements, with a maximum deflection of L/180 of its span. When independent or integral mullions are used to join windows, the mullions shall contain a thermal break as specified. Evidence of compliance may be by mathematical calculations.

Balances:

Balances of appropriate size and capacity to hold operable sash stationary in any open position shall be used. Sash balances shall be easily accessible and replaceable in the field without the use of special tools.

Sash:

1. Sash shall be joined at the corners with screws in integral screw ports.
2. The bottom sash must be easily removed from the frame for either cleaning or repair. Re-glazing shall be easily accomplished without the aid of special tools.

Glazing:

All units shall be constructed to an overall minimum thickness of 1" with two lites of DSB (1/8", 3/16" or 1/4" (as size and loading requires.) All insulated glass units shall be tested, certified and carry the respective CBA level certification on glass spacer. Test reports supporting CBA certification shall be submitted with bid.

Screens:

Screen frames are to be extruded aluminum sections with corners mitered and mechanically attached. Screening fabric shall be 18 x 16 charcoal-colored aluminum mesh retained in screen frames with vinyl spines that permit easy replacement. Screens frames shall be secured by spring loaded leaf springs at the header. Frames shall be finished to match windows.

Aluminum Window Finishes:

Provide organic coating of type and color indicated, tested and certified by window manufacturer to comply with AAMA 603. Provide manufacturer's standard electrostatically applied baked polyester coating of 1.0+/- .2 mils dry film thickness (minimum), of manufacturer's standard color as indicated, applied over manufacturer's standard substrate preparation including cleaning, degreasing, and other appropriate pretreatments.

ExecutionPreparation:

- A. Existing windows will not be removed until replacements are available and ready for immediate installation. Window openings will not be left uncovered at the end of the work day.
- B. Existing work will be removed carefully so as to avoid damage to existing work that will remain.
- C. Contractor will perform other operations as necessary to prepare openings for proper installations and operations of new windows units.

Disposal:

- A. Existing windows and other materials removed from the building become property of the contractor who shall promptly remove and dispose of such materials at no additional cost to the client.
- B. Comply with all applicable laws, rules and regulations.

Installation:

- A. Comply with manufacturer's specifications for installation of window units, hardware, operators and other components of work. In no case shall attachment to existing structure or to components of the window system be through or abridge the thermal barriers of the replacement windows.
- B. Set units plumb, level and true to line, without warp or rack of frames or sash. Anchor securely in place. Separate aluminum and other corrodible surfaces from sources of corrosion or electrolytic action. Windows must be securely blocked and fastened.
- C. Wedge insulation between frames of new windows and construction to remain, or between frames and new blocking as applicable. Compress fiberglass to not less than 50 percent of original thickness.

Adjust and Clean:

- A. Adjust operating sash and hardware to provide tight fit at contact points and at weather stripping. Adjust also for smooth operation and a weather tight closure.
- B. Clean aluminum surfaces promptly after installation of windows, exercising care to avoid damage to the finish. Remove excess glazing and sealant compound, dirt and other substances. Lubricate hardware and moving parts.

C. Clean glass promptly after installation of windows. Remove glazing and sealant compound, dirt and other substances.

D. Initiate all protection and other precaution required to ensure that window units will be without damage or deterioration at time of acceptance.

Survey

Contractor will perform a lead-in-paint survey using XRF Lead Paint Analyzer. The survey will be performed in accordance with applicable DC Department of Health, US Department of Housing and Urban Development, US Environmental Protection Agency regulations. Results will be presented to the school authorities before starting work.

Possible Areas of LBP Surfaces:

Exterior: Painted wood windows and related components (casings, sashes, aprons), located throughout the exterior of the building regardless of condition.

Interior: Painted wood windows and related components (casing, sashes, aprons), located throughout the interior of the school building regardless of condition.

Coated wood windows and related components (casing, sashes, aprons), located throughout the interior of the building regardless of condition.

Painted metal windows and related components (casing, sashes, aprons), located throughout the interior of the school building regardless of condition.

IDEA Public Charter High School
1027 45TH street, NE
Washington, DC 20019
202-399-4750

NOTICE FOR PROPOSALS TO CATER SCHOOL LUNCH PROGRAM

The IDEA Public Charter School in accordance with section 2204(c)(1)(A) of the District of Columbia School Reform Act of 1995 (Public Law 104-134), hereby solicits proposals to provide meals for lunch for 425 students. The meals must meet federal nutrition requirements and all compliance standards of the USDA National School Lunch Program (NSLP)

Interested providers will state their credentials, provide appropriate licenses and sample menus, made in accordance with federal nutritional and serving requirements. No proposal will be considered without an estimate cost.

IDEA will receive bids until Friday, July 22, 2005 at 2:00 p.m. Meal pattern requirements and all necessary forms may be obtained from the school by writing to IDEA Public Charter School at 1027 45th Street, NE, Washington, DC 20019; or you may call LTC (R) Ed Holloway at 202-399-4750, extension 200; or information is also available on the school web site: www.ideapcs.org.

ZONING COMMISSION FOR THE DISTRICT OF COLUMBIA

NOTICE OF SPECIAL PUBLIC MEETING

The Zoning Commission of the District of Columbia, in accordance with § 3005 of the District of Columbia Municipal Regulations, Title 11, Zoning, hereby gives notice that it has scheduled a Special Meeting for Thursday, July 28, 2005, at 6:00 P.M., to consider various items.

For additional information, please contact Sharon Schellin, Senior Zoning Specialist for the Zoning Commission at (202) 727-6311.

**OFFICE OF DOCUMENTS AND ADMINISTRATIVE ISSUANCES
PUBLICATIONS PRICE LIST**

DISTRICT OF COLUMBIA MUNICIPAL REGULATIONS (DCMR)

TITLE	SUBJECT	PRICE
1	DCMR MAYOR AND EXECUTIVE AGENCIES (JUNE 2001).....	\$16.00
3	DCMR ELECTIONS & ETHICS (JUNE 1998)	\$20.00
4	DCMR HUMAN RIGHTS (MARCH 1995).....	\$13.00
5	DCMR BOARD OF EDUCATION (DECEMBER 2002).....	\$26.00
6A	DCMR POLICE PERSONNEL (MAY 1988).....	\$8.00
7	DCMR EMPLOYMENT BENEFITS (JANUARY 1986)	\$8.00
8	DCMR UNIVERSITY OF THE DISTRICT OF COLUMBIA (JUNE 1988).....	\$8.00
9	DCMR TAXATION & ASSESSMENTS (APRIL 1998).....	\$20.00
10	DCMR DISTRICT'S COMPREHENSIVE PLAN (PART 1, FEBRUARY 1999).....	\$33.00
10	DCMR PLANNING & DEVELOPMENT (PART 2, MARCH 1994) w/1996 SUPPLEMENT*	\$26.00
11	DCMR ZONING (FEBRUARY 2003)	\$35.00
12	DCMR CONSTRUCTION CODES SUPPLEMENT (2003)	\$25.00
13B	DCMR BOILER & PRESSURE VESSEL CODE (MAY 1984).....	\$7.00
14	DCMR HOUSING (DECEMBER 2004)	\$25.00
15	DCMR PUBLIC UTILITIES & CABLE TELEVISION (JUNE 1998).....	\$20.00
16	DCMR CONSUMERS, COMMERCIAL PRACTICES & CIVIL INFRACTIONS (JULY 1998) W/DECEMBER 1998 SUPPLEMENT	\$20.00
17	DCMR BUSINESS, OCCUPATIONS & PROFESSIONS (MAY 1990).....	\$26.00
18	DCMR VEHICLES & TRAFFIC (APRIL 1995) w/1997 SUPPLEMENT*	\$26.00
19	DCMR AMUSEMENTS, PARKS & RECREATION (JUNE 2001)	\$26.00
20	DCMR ENVIRONMENT - CHAPTERS 1-39 (FEBRUARY 1997)	\$20.00
20	DCMR ENVIRONMENT - CHAPTERS 40-70 (FEBRUARY 1997)	\$26.00
21	DCMR WATER & SANITATION (FEBRUARY 1998)	\$20.00
22	DCMR PUBLIC HEALTH & MEDICINE (AUGUST 1986).....	\$26.00
22	DCMR HEALTH CARE & COMMUNITY RESIDENCE FACILITIES SUPPLEMENT (AUGUST 1986 - FEBRUARY 1995)	\$13.00
23	DCMR ALCOHOLIC BEVERAGES (AUGUST 2004)	\$10.00
24	DCMR PUBLIC SPACE & SAFETY (DECEMBER 1996)	\$20.00
25	DCMR FOOD AND FOOD OPERATIONS (AUGUST 2003).....	\$20.00
26	DCMR INSURANCE (FEBRUARY 1985).....	\$9.00
27	DCMR CONTRACTS AND PROCUREMENT (JULY 1988)	\$22.00
28	DCMR CORRECTIONS, COURTS & CRIMINAL JUSTICE (AUGUST 2004).....	\$10.00
29	DCMR PUBLIC WELFARE (MAY 1987).....	\$8.00
30	DCMR LOTTERY AND CHARITABLE GAMES (MARCH 1997)	\$20.00
31	DCMR TAXICABS & PUBLIC VEHICLES FOR HIRE (JULY 2004)	\$16.00

Publications Price List (Continued)

OTHER PUBLICATIONS

1994 - 1996 Indices	\$52.00 + \$5.50 postage
1997 - 1998 Indices	\$52.00 + \$5.50 postage
Complete Set of <i>D.C. Municipal Regulations</i>	\$628.00
D.C. Register yearly subscription.....	\$195.00
Rulemaking Handbook & Publications Style Manual (1983)	\$5.00
*Supplements to D.C. Municipal Regulations	\$4.00

MAIL ORDERS: Send exact amount in check or money order made payable to the D.C. Treasurer. Specify title and subject. Send to: D.C. Office of Documents and Administrative Issuances, Room 520, One Judiciary Square, 441 - 4th St., N.W., Washington, D.C. 20001. Phone: 727-5090

OVER THE COUNTER SALES: Come to Rm. 520, One Judiciary Sq., Bring check or money order.

All sales final. A charge of \$65.00 will be added for any dishonored check (D.C. Law 4-16)